Notice of Allowability	Application No.	Applicant(s)
	10/079,586	YAJIMA, TATSUO
	Examiner	Art Unit
	Thomas H. Stevens	2123
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the after final amendment filed 09/05/2006.		
2. The allowed claim(s) is/are <u>1-3,5-9,11 and 12</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Notice of Informal D	otont Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal P6. ☐ Interview Summary	- '
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ⊠ Examiner's Amendr	e
Paper No./Mail Date		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 		ent of Reasons for Allowance

Application/Control Number: 10/079,586 Page 2

Art Unit: 2123

DETAILED ACTION

1. Claims 1-3, 5-9,11 and 12 were examined.

Examiner's Amendment

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Monaco (Reg. 52,041), on, 9/21/06. The amendments are the following:

- Claim 3, line 3, "the minimum value" was changed to -- a minimum value -- .
- Claim 3, line 4, The phrase "on the" was changed to -- on a -- .
- Claim 9, line 3, "the minimum value" was changed to -- a minimum value -- .
- Claim 9, line 4, The phrase "on the" was changed to -- on a -- .

Allowable Subject Matter

- 3. Claims 1-3, 5-9,11 and 12 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

While Kurumisaswa et al., teaches (claims 1 and 7) a computer-implemented method for evaluating dynamic perspective distortion of a transparent body comprising the steps of: producing a model of three-dimensionally curved shape of a transparent

body having a predetermined refractive index: determining an eye point at a side of the model of three-dimensionally curved shape and a virtual evaluation pattern having a plurality of evaluation points at the other side of the model of three-dimensionally curved shape; observing, from the eye point, the a virtual evaluation pattern through the

transparent body, extracting perspective evaluation points as image of the evaluation

points, obtained by observing through the transparent body, in a two-dimensional

picture image obtained by the observation, and obtaining a plurality of distance values

between a plurality of adjacent perspective evaluation points; none of the references

teaches or disclose

(claims 1 and 7) "determining a reference value, among the plurality of distance values, and evaluating the dynamic perspective distortion of the transparent body by obtaining ratios of each of the plurality of distance values to the reference value, wherein the virtual evaluation pattern is an orthogonal grid pattern"

in combination with the remaining elements and features of the claimed invention. It is for these reasons that the applicants' invention defines over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2123

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Correspondence Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mr. Tom Stevens whose telephone number is 571-272-3715, Monday-Friday (8:00 am- 4:30 pm EST).

If attempts to reach the examiner by telephone are unsuccessful, please contact examiner's supervisor Mr. Paul Rodriguez 571-272-3753. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov.. Answers to questions regarding access to the Private PAIR system, contact the Electronic Business Center (EBC) (toll-free (866-217-9197)).

September 20, 2006

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2100

TS